

Croydon Joint Strategic Needs Assessment Key Dataset

Introduction

Introduction

The Croydon JSNA is made up of three parts. A quarterly key dataset, a number of detailed needs assessments on key topic areas and some less detailed statistical bulletins. For more details on the Croydon JSNA, please go to the website here; <https://www.croydonobservatory.org/joint-strategic-needs-assessments/>

This dataset brings together local, regional and national data to show Croydon's relative position for a wealth of indicators of relevance to health and wellbeing.

By using indicators for which regional and national data is available, comparisons can be made of Croydon's performance or levels of need now and in the future. Indicators where Croydon's performance or level of need are statistically significantly different from the London average are highlighted, and trend data indicate whether performance is improving or deteriorating over time. Areas where Croydon performs better or worse, or has greater or lesser need than the London average can therefore be easily identified, making the dataset, along with the rest of the JSNA, a key tool to inform strategic prioritisation and commissioning decisions.

The main limitation to the dataset, and to all comparative data of this kind, is that of timeliness. Most of this information is taken from Public Health England's fingertips tool and, although the most recent available data from this tool has been used for all indicators, there will still be an inevitable time lag. This is because the dataset contains only those indicators which are routinely published for local authorities across the country. In practice, local areas may use more timely data sources to inform their daily work, as they have access to their own data sooner than comparative information of the kind shown here.

It is also important to note that the data presented in the dataset are for Croydon as a whole. There are wide variations within Croydon that must always be taken into account when commissioning services for Croydon. Any analysis of need should not be dictated solely by areas for which data is available. Stakeholder consultations often raise important local issues for which local data may not be available. Other aspects of the JSNA, particularly the detailed needs assessments on key topic areas, include more qualitative, consultative approaches which are also a key part of prioritisation and commissioning.

Notes and Key

- > Indicators that are shaded blue rather than red / amber / green are presented in this way because it is not straightforward to determine for these indicators whether a high value is good or bad.
- > Recent trend refers to the analysis done in the PHE Fingertips tool which tests for a statistical trend. Changes in this column are calculated using a chi-squared statistical test for trend. This is currently only available for certain indicator types; full details are available in the PHE tool (see data source column to access this).
- > Increases or decreases are only shown if they are statistically significant. Where no arrow is shown, no comparison has been made. This may be due to the fact that the required data to make the comparison is not available for the time point, or that no confidence interval values are available for the indicator.

Croydon value,
significance compare
to London average:

Significantly worse	Significantly lower
Not significantly different	Significantly higher
Significantly better	Significance not tested

Recent
trend:

↑ Increasing / Getting worse	↑ Increasing / Getting better
↓ Decreasing / Getting worse	↓ Decreasing / Getting better
↑ Increasing	↓ Decreasing
→ No significant change	— Could not be calculated

Croydon Joint Strategic Needs Assessment Key Dataset

Population and Life Expectancy

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
% population aged under 18	<18 yrs	Persons	2019	24.5	22.7	21.4	%	→	PHE Public Health Outcomes Framework
% population aged 65+	65+ yrs	Persons	2019	13.8	12.1	18.4	%	↑	PHE Public Health Outcomes Framework
% population from ethnic minorities	16+ yrs	Persons	2016	41.4	37.6	13.6	%	▪	PHE Public Health Outcomes Framework
Estimated population growth (% change in next 5 years)	All ages	Persons	2020-2025	4.4	4.3	n/a	%	▪	GLA Housing-led Population Projections
Population turnover (rate per 1,000 population)	All ages	Persons	2019	150.4	101.9	19.6	Rate per 1,000	▪	ONS Population Estimates
International migrants identified on GP register (rate per 1,000 population)	All ages	Persons	2017	16.2	27.9	12.6	Rate per 1,000	↑	PHE Common MH Disorders Profile
Life expectancy at birth	All ages	Male	2016 - 18	80.3	80.7	79.6	Years	▪	PHE Public Health Outcomes Framework
Life expectancy at birth	All ages	Female	2016 - 18	84.0	84.5	83.2	Years	▪	PHE Public Health Outcomes Framework
Inequality in life expectancy at birth (from least deprived to most deprived in area)	All ages	Male	2016 - 18	8.2	7.4	9.5	Years	▪	PHE Public Health Outcomes Framework
Inequality in life expectancy at birth (from least deprived to most deprived in area)	All ages	Female	2016 - 18	6.3	5.1	7.5	Years	▪	PHE Public Health Outcomes Framework
Healthy life expectancy at birth	All ages	Male	2016 - 18	65.0	64.2	63.4	Years	▪	PHE Public Health Outcomes Framework
Healthy life expectancy at birth	All ages	Female	2016 - 18	59.5	64.4	63.9	Years	▪	PHE Public Health Outcomes Framework
Inequality in healthy life expectancy at birth (from least deprived to most deprived in area)	All ages	Male	2009 - 13	13.8	0.0	0.0	Years	▪	PHE Public Health Outcomes Framework
Inequality in healthy life expectancy at birth (from least deprived to most deprived in area)	All ages	Female	2009 - 13	15.0	0.0	0.0	Years	▪	PHE Public Health Outcomes Framework

Croydon Joint Strategic Needs Assessment Key Dataset

Wider Determinants - deprivation, poverty and environment

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Deprivation score (IMD)	All ages	Persons	2019	22.5	21.8	21.7	Score	■	PHE Public Health Outcomes Framework
Income Deprivation - Children (IDACI)	<16 yrs	Persons	2015	23.2	24.4	19.9	%	■	PHE Local Health Profile
Income Deprivation - Older People (IDAOPI)	60+ yrs	Persons	2015	17.0	22.2	16.2	%	■	PHE Local Health Profile
Fuel poverty	Not applicable	Not applicable	2018	11.2	11.4	10.3	%	➔	PHE Public Health Outcomes Framework
Children in low income families (under 16s)	<16 yrs	Persons	2016	16.1	18.8	17.0	%	↓	PHE Public Health Outcomes Framework
Children in low income families (all dependent children under 20)	0-19 yrs	Persons	2016	16.3	19.3	17.0	%	↓	PHE Public Health Outcomes Framework
% uptake of free school meals among school pupils	School age	Persons	2018	19.8	15.6	13.5	%	↓	PHE Child Health Profiles
Carbon dioxide emissions within the scope of influence of local authorities	All ages	Persons	2018	2.7	3.2	4.2	Tonnes per resident	■	Dept for Business, Energy & Industrial strategy
Fraction of mortality attributable to particulate air pollution	30+ yrs	Persons	2018	6.3	6.6	5.2	%	■	PHE Public Health Outcomes Framework
Killed and seriously injured (KSI) casualties on England's roads	All ages	Persons	2016 - 18	27.2	39.5	42.6	Rate per 100,000	■	PHE Public Health Outcomes Framework
Utilisation of outdoor space for exercise/health reasons	16+ yrs	Persons	Mar 2015 - Feb 2016	15.2	18.0	17.9	%	■	PHE Public Health Outcomes Framework
Complaints about noise	All ages	Persons	2018/19	9.5	17.0	6.8	Rate per 1,000	■	PHE Public Health Outcomes Framework
% population exposed to road, rail and air transport noise of 65dB(A) or more, daytime	All ages	Persons	2016	11.1	12.1	5.5	%	■	PHE Public Health Outcomes Framework
% population exposed to road, rail and air transport noise of 55 dB(A) or more night-time	All ages	Persons	2016	14.6	15.9	8.5	%	■	PHE Public Health Outcomes Framework

Croydon Joint Strategic Needs Assessment Key Dataset

Wider Determinants - education and employment

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
% of children achieving a good level of development at the end of reception	5 yrs	Persons	2018/19	74.6	74.1	71.8	%	↑	PHE Public Health Outcomes Framework
% of Year 1 pupils achieving the expected level in the phonics screening check	6 yrs	Persons	2018/19	83.5	84.2	81.8	%	↑	PHE Public Health Outcomes Framework
Average Attainment 8 score	15-16 yrs	Persons	2018/19	47.5	50.0	46.9	Score	▬	PHE Wider Determinants
Pupil absence	5-15 yrs	Persons	2018/19	4.6	4.5	4.7	%	→	PHE Public Health Outcomes Framework
16-17 year olds not in education, employment or training (NEET) or whose activity is not known	16-17 yrs	Persons	2018	6.2	4.8	5.5	%	▬	PHE Public Health Outcomes Framework
Percentage of people aged 16-64 in employment	16-64 yrs	Persons	2018/19	74.4	74.2	75.6	%	→	PHE Public Health Outcomes Framework
Economic inactivity rate	16-64 yrs	Persons	2018/19	22.4	21.9	21.1	%	→	PHE Wider Determinants
% of employees who had at least one day off in the previous week	16+ yrs	Persons	2016 - 18	2.6	2.1	2.1	%	▬	PHE Public Health Outcomes Framework
% of working days lost due to sickness absence	16+ yrs	Persons	2016 - 18	1.3	0.9	1.1	%	▬	PHE Public Health Outcomes Framework
Average weekly earnings of employees	16+ yrs	Persons	2018	533.0	565.4	451.2	£ per week	▬	PHE Wider Determinants
Gap in the employment rate between those with a long-term health condition and the overall employment rate	16-64 yrs	Persons	2018/19	18.4	13.4	11.5	% points	▬	PHE Public Health Outcomes Framework
Gap in the employment rate between those with a learning disability and the overall employment rate	18-64 yrs	Persons	2018/19	68.9	66.2	69.7	% points	▬	PHE Public Health Outcomes Framework
Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate	18-69 yrs	Persons	2018/19	69.4	67.2	67.6	% points	▬	PHE Public Health Outcomes Framework

Croydon Joint Strategic Needs Assessment Key Dataset

Wider Determinants - housing and crime

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Affordability of home ownership	All ages	Persons	2018	10.5	13.1	8.0	Ratio	■	PHE Wider Determinants
Overcrowded households	Not applicable	Persons	2011	9.9	11.6	4.8	%	■	PHE Wider Determinants
Statutory homelessness - Eligible homeless people not in priority need	Not applicable	Persons	2017/18	1.2	1.0	0.8	Rate per 1,000	↓	PHE Public Health Outcomes Framework
Statutory homelessness - households in temporary accommodation	Not applicable	Persons	2017/18	12.6	14.9	3.4	Rate per 1,000	↓	PHE Public Health Outcomes Framework
Adults with a learning disability who live in stable and appropriate accommodation	18-64 yrs	Persons	2018/19	61.9	75.1	77.4	%	→	PHE Public Health Outcomes Framework
Adults in contact with secondary mental health services who live in stable and appropriate accommodation	18-69 yrs	Persons	2018/19	42.0	62.0	58.0	%	■	PHE Public Health Outcomes Framework
First time entrants to the youth justice system	10-17 yrs	Persons	2018	393.8	282.5	238.5	Rate per 100,000	→	PHE Public Health Outcomes Framework
First time offenders	10+ yrs	Persons	2018	288.8	250.8	210.7	Rate per 100,000	↓	PHE Public Health Outcomes Framework
Re-offending levels - percentage of offenders who re-offend	All ages	Persons	2017/18	30.1	28.5	29.1	%	■	PHE Public Health Outcomes Framework
Re-offending levels - average number of re-offences per re-offender	All ages	Persons	2017/18	3.3	3.4	4.0	Offences per re-offender	■	PHE Public Health Outcomes Framework
Total police recorded crime (rate per 1,000 population)	All ages	Persons	2019/20	89.3	101.6	n/a	Rate per 1,000	■	ONS Police Recorded Crime
Hospital admissions for violence (including sexual violence)	All ages	Persons	2016/17 - 18/19	53.9	46.2	44.9	Rate per 100,000	■	PHE Public Health Outcomes Framework
Rate of violence offences per 1,000 population	All ages	Persons	2018/19	24.0	24.5	27.8	Rate per 1,000	↑	PHE Public Health Outcomes Framework
Rate of sexual offences per 1,000 population	All ages	Persons	2018/19	2.5	2.1	2.5	Rate per 1,000	↑	PHE Public Health Outcomes Framework
Domestic abuse-related incidents and crimes	16+ yrs	Persons	2018/19	32.9	32.9	27.4	Rate per 1,000	■	PHE Public Health Outcomes Framework

Croydon Joint Strategic Needs Assessment Key Dataset

Wider Determinants - wellbeing and vulnerability

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
People with a low satisfaction score	16+ yrs	Persons	2018/19	Value cannot be calculated as number of cases is too small	4.1	4.3	%	▬	PHE Public Health Outcomes Framework
People with a low worthwhile score	16+ yrs	Persons	2018/19	Value cannot be calculated as number of cases is too small	3.4	3.6	%	▬	PHE Public Health Outcomes Framework
People with a low happiness score	16+ yrs	Persons	2018/19	Value cannot be calculated as number of cases is too small	7.3	7.8	%	▬	PHE Public Health Outcomes Framework
People with a high anxiety score	16+ yrs	Persons	2018/19	22.6	21.0	19.7	%	▬	PHE Public Health Outcomes Framework
Children in care (per 10,000 child population)	<18 yrs	Persons	2019	86.0	50.0	65.0	Rate per 10,000	➔	PHE Children & YP Mental Health Profile
Unaccompanied Asylum Seeking Children looked after: count	<18 yrs	Persons	2018	295.0	1500.0	4480.0	Count	▬	PHE Children & YP Mental Health Profile
% of school pupils with special educational needs (SEN)	School age	Persons	2018	14.6	14.4	14.4	%	⬇	PHE Children & YP Mental Health Profile
GP recorded learning disability prevalence	All ages	Persons	2018/19	0.5	0.4	0.5	%	▬	PHE Learning Disability Profiles
% of school pupils with Learning Disability	School age	Persons	2017	4.1	4.4	5.6	%	⬆	PHE Children & YP Mental Health Profile

Croydon Joint Strategic Needs Assessment Key Dataset

Healthy Behaviours - diet, physical activity, weight and oral health

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Low birth weight of term babies	>=37 weeks gestational age at birth	Persons	2018	3.5	3.1	2.9	%	→	PHE Public Health Outcomes Framework
Baby's first feed is breastmilk	Newborn	Persons	2018/19	76.3	76.3	67.4	%	▪	PHE Public Health Outcomes Framework
Reception: Prevalence of overweight (including obesity)	4-5 yrs	Persons	2018/19	22.3	21.8	22.6	%	→	PHE Public Health Outcomes Framework
Year 6: Prevalence of overweight (including obesity)	10-11 yrs	Persons	2018/19	38.6	37.9	34.3	%	→	PHE Public Health Outcomes Framework
Adults (aged 18+) classified as overweight or obese	18+ yrs	Persons	2018/19	62.9	55.9	62.3	%	▪	PHE Public Health Outcomes Framework
Physically active adults	19+ yrs	Persons	2018/19	62.1	66.6	67.2	%	▪	PHE Public Health Outcomes Framework
Physically inactive adults	19+ yrs	Persons	2018/19	24.0	22.1	21.4	%	▪	PHE Public Health Outcomes Framework
Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)	16+ yrs	Persons	2018/19	53.1	54.8	54.6	%	▪	PHE Public Health Outcomes Framework
Percentage of 5 year olds with experience of visually obvious dental decay	5 yrs	Persons	2019/20	21.4	27.0	23.4	%	▪	PHE Public Health Outcomes Framework
Children accessing NHS dentistry (% visiting a dentist in previous 12 months)	0-17 yrs	Persons	2019	48.2	49.9	58.4	%	▪	NHS Dental Statistics for England
Adults accessing NHS dentistry (% visiting a dentist in last 2 years)	18+ yrs	Persons	2018 & 2019	45.5	43.4	49.6	%	▪	NHS Dental Statistics for England

Croydon Joint Strategic Needs Assessment Key Dataset

Healthy Behaviours - tobacco, drugs and alcohol

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Smoking status at time of delivery	All ages	Female	2018/19	6.2	4.8	10.6	%	→	PHE Public Health Outcomes Framework
Smoking prevalence in adults (18+) - current smokers (APS)	18+ yrs	Persons	2019	12.4	12.9	13.9	%	▪	PHE Public Health Outcomes Framework
Smoking attributable hospital admissions	35+ yrs	Persons	2018/19	1199.5	1454.2	1612.3	Rate per 100,000	↓	PHE Local Tobacco Control Profiles
Smoking attributable mortality	35+ yrs	Persons	2016 - 18	205.8	218.8	250.2	Rate per 100,000	▪	PHE Local Tobacco Control Profiles
Estimated opiate and/or crack cocaine users	15-64 yrs	Persons	2016/17	7.6	9.3	8.9	Rate per 1,000	▪	PHE OCU prevalence estimates
Hospital admissions due to substance misuse (15-24 years)	15-24 yrs	Persons	2016/17 - 18/19	60.9	60.1	83.1	Rate per 100,000	▪	PHE Child Health Profiles
Successful completion of drug treatment - opiate users	18+ yrs	Persons	2018	6.6	6.9	5.8	%	→	PHE Public Health Outcomes Framework
Successful completion of drug treatment - non-opiate users	18+ yrs	Persons	2018	43.0	37.0	34.4	%	↑	PHE Public Health Outcomes Framework
Successful completion of alcohol treatment	18+ yrs	Persons	2018	41.1	41.5	37.6	%	→	PHE Public Health Outcomes Framework
Deaths from drug misuse	All ages	Persons	2016 - 18	2.0	3.1	4.5	Rate per 100,000	▪	PHE Public Health Outcomes Framework
% adults drinking over 14 units per week	18+ yrs	Persons	2011 - 14	19.2	21.6	25.7	%	▪	PHE Local Alcohol Profiles for England
% of dependent drinkers	18+ yrs	Persons	2014/15	1.1	1.4	1.4	%	▪	PHE Local Alcohol Profiles for England
Hospital admission episodes for alcohol-related conditions (Narrow)	All ages	Persons	2018/19	493.7	556.5	663.7	Rate per 100,000	→	PHE Public Health Outcomes Framework
Hospital admissions due to alcohol-specific conditions (under 18s)	<18 yrs	Persons	2016/17 - 18/19	21.1	16.5	31.6	Rate per 100,000	▪	PHE Local Alcohol Profiles for England
Alcohol-related mortality	All ages	Persons	2018	40.8	39.4	46.5	Rate per 100,000	→	PHE Local Alcohol Profiles for England

Croydon Joint Strategic Needs Assessment Key Dataset

Vaccination coverage

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Dtap / IPV / Hib (1 year old)	1 yr	Persons	2018/19	86.4	87.4	92.1	%	↓	PHE Public Health Outcomes Framework
PCV	1 yr	Persons	2018/19	87.4	88.2	92.8	%	↓	PHE Public Health Outcomes Framework
Dtap / IPV / Hib (2 years old)	2 yrs	Persons	2018/19	89.9	90.6	94.2	%	↓	PHE Public Health Outcomes Framework
Hib / MenC booster (2 years old)	2 yrs	Persons	2018/19	81.1	83.2	90.4	%	↓	PHE Public Health Outcomes Framework
PCV booster	2 yrs	Persons	2018/19	81.7	82.5	90.2	%	↓	PHE Public Health Outcomes Framework
MMR for one dose (2 years old)	2 yrs	Persons	2018/19	81.0	83.0	90.3	%	↓	PHE Public Health Outcomes Framework
MMR for one dose (5 years old)	5 yrs	Persons	2018/19	87.4	90.4	94.5	%	↓	PHE Public Health Outcomes Framework
MMR for two doses (5 years old)	5 yrs	Persons	2018/19	67.7	76.3	86.4	%	↓	PHE Public Health Outcomes Framework
HPV vaccination coverage for one dose (females 12-13 years old)	12-13 yrs	Female	2018/19	88.3	83.7	88.0	%	→	PHE Public Health Outcomes Framework
HPV vaccination coverage for two doses (females 13-14 years old)	13-14 yrs	Female	2018/19	82.6	76.6	83.9	%	▪	PHE Public Health Outcomes Framework
Flu (2-3 years old)	2-3 yrs	Persons	2019/20	31.0	32.4	43.8	%	→	PHE Public Health Outcomes Framework
Flu (at risk individuals)	6 months-64 yrs	Persons	2019/20	41.6	41.8	44.9	%	→	PHE Public Health Outcomes Framework
Flu (aged 65+)	65+ yrs	Persons	2019/20	64.9	66.2	72.4	%	↑	PHE Public Health Outcomes Framework
PPV	65+ yrs	Persons	2018/19	63.7	64.2	69.2	%	→	PHE Public Health Outcomes Framework
Shingles vaccination coverage (70 years old)	70	Persons	2017/18	39.9	41.0	44.4	%	▪	PHE Public Health Outcomes Framework

Croydon Joint Strategic Needs Assessment Key Dataset

Screening, sexual health, HIV and TB

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Newborn Hearing Screening - Coverage	<1 yr	Persons	2018/19	99.4	99.0	99.2	%	■	PHE Public Health Outcomes Framework
Cancer screening coverage - cervical cancer (age 25-49)	25-49 yrs	Female	2019	67.4	61.5	69.8	%	↓	PHE Public Health Outcomes Framework
Cancer screening coverage - cervical cancer (age 50-64)	50-64 yrs	Female	2019	76.8	73.7	76.2	%	↓	PHE Public Health Outcomes Framework
Cancer screening coverage - breast cancer	53-70 yrs	Female	2019	72.4	67.3	74.5	%	↑	PHE Public Health Outcomes Framework
Cancer screening coverage - bowel cancer	60-74 yrs	Persons	2019	54.2	51.5	60.1	%	↑	PHE Public Health Outcomes Framework
Abdominal Aortic Aneurysm Screening - Coverage	65	Male	2018/19	76.1	72.0	81.3	%	→	PHE Public Health Outcomes Framework
Chlamydia detection rate / 100,000 aged 15-24	15-24 yrs	Persons	2018	3129.0	2609.8	1974.9	Rate per 100,000	→	PHE Public Health Outcomes Framework
New sexually transmitted infection diagnoses (excluding chlamydia in under 25 year olds)	15-64 yrs	Persons	2018	1444.4	1713.1	850.6	Rate per 100,000	→	PHE Public Health Outcomes Framework
Under 18s conception rate / 1,000	<18 yrs	Female	2018	19.1	13.9	16.7	Rate per 1,000	↓	PHE Public Health Outcomes Framework
Under 16s conception rate / 1,000	<16 yrs	Female	2018	4.0	1.9	2.5	Rate per 1,000	→	PHE Public Health Outcomes Framework
Total abortion rate	All ages	Female	2018	27.1	21.9	18.1	Rate per 1,000	→	PHE Sexual & Reproductive Health
Under 25s repeat abortions (%)	15-24 yrs	Female	2018	37.2	30.1	26.8	%	→	PHE Sexual & Reproductive Health
HIV diagnosed prevalence / 1,000 aged 15-59	15-59 yrs	Persons	2018	5.7	5.7	2.4	%	↑	PHE Sexual & Reproductive Health
HIV late diagnosis (%)	15+ yrs	Persons	2016 - 18	47.1	37.1	42.5	%	■	PHE Public Health Outcomes Framework
TB incidence (three year average)	All ages	Persons	2016 - 18	19.2	21.9	9.2	Rate per 100,000	■	PHE Public Health Outcomes Framework
Drug sensitive TB cases who had completed a full course of treatment by 12 months	All ages	Persons	2017	86.0	85.9	84.7	%	→	PHE Public Health Outcomes Framework

Croydon Joint Strategic Needs Assessment Key Dataset

Social Care

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Social care-related quality of life (score)	18+ yrs	Persons	2018/19	18.3	18.5	19.1	Score	▬	NHS Adult Social Care Outcomes Framework
Council-supported older adults whose long-term support needs were met by admission to residential and nursing care homes	65+ yrs	Persons	2018/19	383.5	430.0	580.0	Rate per 100,000	▬	NHS Adult Social Care Outcomes Framework
Proportion of people who use services who are satisfied with their care and support	18+ yrs	Persons	2018/19	55.7	58.6	64.3	%	▬	NHS Adult Social Care Outcomes Framework
Proportion of people who use services who felt they had control over their daily life	18+ yrs	Persons	2018/19	69.9	71.4	77.6	%	▬	NHS Adult Social Care Outcomes Framework
Average number of delayed transfers of care from hospital per 100,000 population	18+ yrs	Persons	2018/19	7.1	6.3	10.3	Rate per 100,000	▬	NHS Adult Social Care Outcomes Framework
Average number of delayed transfers of care from hospital that are attributable to adult social care per 100,000 population	18+ yrs	Persons	2018/19	2.9	2.0	3.1	Rate per 100,000	▬	NHS Adult Social Care Outcomes Framework
Proportion of older people who were still at home 91 days after discharge from hospital into reablement/rehabilitation services	65+ yrs	Persons	2018/19	87.9	88.0	82.4	%	▬	NHS Adult Social Care Outcomes Framework
Proportion of older people who received reablement/rehabilitation services after discharge from hospital	65+ yrs	Persons	2018/19	4.6	3.5	2.8	%	▬	NHS Adult Social Care Outcomes Framework
Social Isolation: percentage of adult social care users who have as much social contact as they would like	18+ yrs	Persons	2018/19	39.3	41.3	45.9	%	▬	PHE Public Health Outcomes Framework
Carer reported quality of life (score)	18+ yrs	Persons	2018/19	6.8	7.4	7.5	Score	▬	NHS Adult Social Care Outcomes Framework
Social Isolation: percentage of adult carers who have as much social contact as they would like	18+ yrs	Persons	2018/19	22.3	33.2	32.5	%	▬	PHE Public Health Outcomes Framework

Croydon Joint Strategic Needs Assessment Key Dataset

Mental Health

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Estimated prevalence of common mental disorders	16+ yrs	Persons	2017	18.4	19.3	16.9	%	▬	PHE Mental Health & Wellbeing JSNA Profile
GP recorded prevalence of depression	18+ yrs	Persons	2018/19	7.6	7.6	10.7	%	↑	PHE Mental Health & Wellbeing JSNA Profile
Estimated dementia diagnosis rate (aged 65 and over)	65+ yrs	Persons	2020	70.8	71.3	67.4	%	▬	PHE Public Health Outcomes Framework
Percentage of children looked after where there is a cause for concern in their emotional wellbeing	5-16 yrs	Persons	2018/19	26.7	31.8	38.6	%	▬	PHE Public Health Outcomes Framework
% of school pupils with social, emotional and mental health needs	School age	Persons	2018	2.5	2.4	2.4	%	▬	PHE Mental Health & Wellbeing JSNA Profile
Proportion of adults in the population in contact with secondary mental health services	18-74 yrs	Persons	2014/15	4.3	4.7	5.4	%	▬	PHE Public Health Outcomes Framework
Hospital admissions for mental health conditions (under 18s)	<18 yrs	Persons	2018/19	89.8	72.5	88.3	Rate per 100,000	→	PHE Mental Health & Wellbeing JSNA Profile
Emergency Hospital Admissions for Intentional Self-Harm	All ages	Persons	2018/19	97.6	83.4	193.4	Rate per 100,000	↓	PHE Public Health Outcomes Framework
Suicide rate	10+ yrs	Persons	2016 - 18	9.4	8.1	9.6	Rate per 100,000	▬	PHE Public Health Outcomes Framework
Excess under 75 mortality rate in adults with serious mental illness	18-74 yrs	Persons	2014/15	398.3	327.2	370.0	Rate per 100,000	▬	PHE Public Health Outcomes Framework

Croydon Joint Strategic Needs Assessment Key Dataset

Diagnosed conditions

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Estimated prevalence of diabetes (undiagnosed and diagnosed)	16+ yrs	Persons	2015	10.5	8.9	8.5	%	▬	PHE Cardiovascular Disease Profiles
GP recorded diabetes prevalence	17+ yrs	Persons	2018/19	7.1	6.6	6.9	%	↑	PHE Productive Healthy Ageing Profile
Estimated diabetes diagnosis rate	17+ yrs	Persons	2018	66.4	71.4	78.0	%	▬	PHE Public Health Outcomes Framework
Hospital admissions for diabetes in children and young people	0-18 yrs	Persons	2018/19	40.3	41.6	50.7	Rate per 100,000	→	PHE Child Health Profiles
New cancer cases (incidence of new cancer cases, standardised incidence ratio)	All ages	Persons	2012 - 16	97.2	95.6	100.0	Indirectly standardised ratio per 100	▬	PHE Local Health Profile
Cancer diagnosed at early stage (experimental statistics)	All ages	Persons	2017	54.7	52.7	52.2	%	↑	PHE Public Health Outcomes Framework
GP recorded hypertension prevalence	All ages	Persons	2018/19	12.4	11.0	14.0	%	↑	PHE Productive Healthy Ageing Profile
GP recorded coronary heart disease prevalence	All ages	Persons	2018/19	2.2	2.0	3.1	%	↓	PHE Productive Healthy Ageing Profile
Emergency hospital admissions for coronary heart disease (standardised admission ratio)	All ages	Persons	2013/14 - 17/18	97.2	96.0	100.0	Indirectly standardised ratio per 100	▬	PHE Local Health Profile
GP recorded stroke prevalence	All ages	Persons	2018/19	1.2	1.1	1.8	%	→	PHE Productive Healthy Ageing Profile
Emergency hospital admissions for stroke (standardised admission ratio)	All ages	Persons	2013/14 - 17/18	101.6	103.8	100.0	Indirectly standardised ratio per 100	▬	PHE Local Health Profile
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD, standardised admission ratio)	All ages	Persons	2013/14 - 17/18	96.5	96.8	100.0	Indirectly standardised ratio per 100	▬	PHE Local Health Profile
Hospital admissions for asthma in children and young people	0-18 yrs	Persons	2018/19	256.6	197.5	178.4	Rate per 100,000	↓	PHE Child Health Profiles

Croydon Joint Strategic Needs Assessment Key Dataset

Injuries and Falls

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Emergency hospital admissions due to falls in people aged 65 and over	65+ yrs	Persons	2018/19	2276.3	2344.1	2197.5	Rate per 100,000	↓	PHE Public Health Outcomes Framework
Emergency hospital admissions due to falls in people aged 65-79	65-79 yrs	Persons	2018/19	1144.6	1215.8	1044.0	Rate per 100,000	→	PHE Public Health Outcomes Framework
Emergency hospital admissions due to falls in people aged 80+	80+ yrs	Persons	2018/19	5558.3	5616.1	5542.7	Rate per 100,000	↓	PHE Public Health Outcomes Framework
Hip fractures in people aged 65 and over	65+ yrs	Persons	2018/19	486.5	485.3	558.4	Rate per 100,000	→	PHE Public Health Outcomes Framework
Hip fractures in people aged 65-79	65-79 yrs	Persons	2018/19	192.6	215.0	237.5	Rate per 100,000	→	PHE Public Health Outcomes Framework
Hip fractures in people aged 80+	80+ yrs	Persons	2018/19	1338.6	1269.3	1489.2	Rate per 100,000	→	PHE Public Health Outcomes Framework
Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4)	0-4 yrs	Persons	2018/19	80.4	87.4	123.1	Rate per 10,000	→	PHE Public Health Outcomes Framework
Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14)	<15 yrs	Persons	2018/19	73.6	70.5	96.1	Rate per 10,000	→	PHE Public Health Outcomes Framework
Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24)	15-24 yrs	Persons	2018/19	118.9	98.4	136.9	Rate per 10,000	→	PHE Public Health Outcomes Framework

Croydon Joint Strategic Needs Assessment Key Dataset

Mortality

Indicator	Age	Sex	Period	Croydon value	London value	England value	Unit	Recent trend	Data source & more information
Neonatal mortality and stillbirths (rate per 1,000 total births)	<28 days	Persons	2017	7.5	7.2	6.9	Rate per 1,000	→	PHE Child Health Profiles
Infant mortality rate	<1 yr	Persons	2016 - 18	3.9	3.3	3.9	Rate per 1,000	▬	PHE Public Health Outcomes Framework
Child mortality (rate per 100,000 children aged 1-17 years)	1-17 yrs	Persons	2016 - 18	10.3	10.8	11.0	Rate per 100,000	▬	PHE Child Health Profiles
Mortality rate from causes considered preventable	All ages	Persons	2016 - 18	158.5	160.7	180.8	Rate per 100,000	▬	PHE Public Health Outcomes Framework
Proportion of deaths in usual place of residence (% of all deaths)	All ages	Persons	2017	40.7	39.0	46.6	%	→	PHE Palliative and End of Life Care Profiles
Excess winter deaths index	All ages	Persons	Aug 2017 - Jul 2018	29.4	27.1	30.1	%	▬	PHE Public Health Outcomes Framework
Excess winter deaths index (age 85+)	85+ yrs	Persons	Aug 2017 - Jul 2018	45.9	35.8	41.1	%	▬	PHE Public Health Outcomes Framework
Mortality rate from a range of specified communicable diseases, including influenza	All ages	Persons	2016 - 18	11.6	10.5	11.3	Rate per 100,000	▬	PHE Public Health Outcomes Framework
Under 75 mortality rate from cancer	<75 yrs	Persons	2016 - 18	120.3	120.1	132.3	Rate per 100,000	▬	PHE Public Health Outcomes Framework
Under 75 mortality rate from cancer considered preventable	<75 yrs	Persons	2016 - 18	67.3	69.0	76.3	Rate per 100,000	▬	PHE Public Health Outcomes Framework
Under 75 mortality rate from all cardiovascular diseases	<75 yrs	Persons	2016 - 18	66.4	70.5	71.7	Rate per 100,000	▬	PHE Public Health Outcomes Framework
Under 75 mortality rate from cardiovascular diseases considered preventable	<75 yrs	Persons	2016 - 18	40.6	42.8	45.3	Rate per 100,000	▬	PHE Public Health Outcomes Framework
Under 75 mortality rate from liver disease	<75 yrs	Persons	2016 - 18	15.5	16.0	18.5	Rate per 100,000	▬	PHE Public Health Outcomes Framework
Under 75 mortality rate from liver disease considered preventable	<75 yrs	Persons	2016 - 18	13.0	14.0	16.3	Rate per 100,000	▬	PHE Public Health Outcomes Framework
Under 75 mortality rate from respiratory disease	<75 yrs	Persons	2016 - 18	33.6	30.3	34.7	Rate per 100,000	▬	PHE Public Health Outcomes Framework
Under 75 mortality rate from respiratory disease considered preventable	<75 yrs	Persons	2016 - 18	16.3	16.5	19.2	Rate per 100,000	▬	PHE Public Health Outcomes Framework